



NWFN7.E184198

Auxiliary Devices for Use in Zone Classified Hazardous Locations Certified for Canada

[Page Bottom](#)

Auxiliary Devices for Use in Zone Classified Hazardous Locations Certified for Canada

[See General Information for Auxiliary Devices for Use in Zone Classified Hazardous Locations Certified for Canada](#)

BARTEC GMBH

MAX-EYTH-STRASSE 16
97980 BAD MERGENTHEIM, GERMANY

E184198

Class I, Zone 1, Ex d IIC.

Switch module, Cat. No. 07-3323 followed by -3, followed by 1, 2, 4, 7 or 8, followed by 0, may be followed by additional suffixes; Switch modules are provided with Operator, Cat. No. 05-0003-00 followed by -07, 08, 09, 10, 11, 12, 18, 61, 70, 71, 72, 73, 74, 75, 77, 78, 79 or 80, may be followed by additional suffixes.

Class I, Zone 1, Ex de IIC.

Switch module, Cat. No. 07-3321 (Rail mounted) or Cat. No. 07-3323 (Panel mounted) followed by -1, followed by 1, 2 or 4, may be followed by additional suffixes; Switch modules are provided with operator, Cat. No. 05-0003-00 followed by 07, 08, 09, 10, 11, 12, 18, 61, 70, 71, 72, 73, 74, 75, 77, 78, 79 or 80, may be followed by additional suffixes. The operators provide Ex e II protection when installed into a Listed, Recognized or Classified increased safety enclosure.

4-Pole control switch, Cat. No. 07-3331-1 may be followed by additional suffixes. Switch modules are provided with operator, Cat. No. 05-0003-00 followed by -20, -21, -62, -63 or -64, may be followed by additional suffixes.

Class I, Zone 1, Ex d IIC.

Lamp module, Cat. No. 07-3353 followed by -3, followed by 1, followed by 1, 2, 3, 4 or 5, may be followed by additional suffixes. Lamp modules are provided with operator, Cat. No. 05-0003-00 followed by 13, 14, 15, 16 or 17, may be followed by additional suffixes. Operators provide Ex e II protection when installed into a Listed, Recognized or Classified increased safety enclosure.

Class I, Zone 1, Ex de IIC.

Lamp module, Cat. No. 07-335 followed by 1 or 3, followed by -1, followed by 1, followed by 1, 2, 3, 4 or 5, followed by 0, may be followed by additional suffixes. Lamp modules are provided with operator, Cat. No. 05-0003-00 followed by 13, 14, 15, 16 or 17, may be followed by additional suffixes. Operators provide Ex e II protection when installed into a Listed, Recognized or Classified increased safety enclosure.

Class I, Zone 1, Ex de IIC.

Illuminated push-button module, Cat. No. 07-336 followed by 1 or 3, followed by -1, followed by 7 or 8, followed by 1, 2, 3, 4 or 5, followed by 0, may be followed by additional suffixes; Illuminated push-button modules are provided with operator, Cat. No. 05-0003-00 followed by 65, 66, 67, 68 or 69, may be followed by additional suffixes. Operators provide Ex e II protection when installed into a Listed, Recognized or Classified increased safety enclosure.

Class I, Zone 1, Ex d IIC.

Illuminated push-button module, Cat. No. 07-3363-3 followed by 7 or 8, followed by 1, 2, 3, 4 or 5, may be followed by additional suffixes; Illuminated push-buttons modules are provided with operator, Cat. No. 05-0003-00 followed by 65, 66, 67, 68 or 69, may be followed by additional suffixes.

Class I, Zone 1, Ex e II.

Auxiliary device enclosures, Cat. Nos. 07-3511, 07-3512, 07-3513; Cat. No. 05-0003-00-19 may be followed by additional suffixes. Enclosures Types 4 and 4X for indoor and outdoor use.

Class I, Zone 1, Ex ed IIC.

Control stations (Control and Indicating Stations), Cat. Nos. 07-3511, 07-3512, 07-3513 followed by -0, -A, -B or -C, followed by 0, A, B, C or 8, may be followed by additional suffixes.

[Last Updated](#) on 2010-09-13

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2012 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2012 UL LLC".



NOIV7.E184198

Auxiliary Devices for Use in Hazardous Locations Certified for Canada

[Page Bottom](#)

Auxiliary Devices for Use in Hazardous Locations Certified for Canada

[See General Information for Auxiliary Devices for Use in Hazardous Locations Certified for Canada](#)

BARTEC GMBH

MAX-EYTH-STRASSE 16
97980 BAD MERGENTHEIM, GERMANY

E184198

Class I, Division 2, Groups A, B, C and D.

Switch modules, Cat. No. 07-3321 (Rail mounted) or Cat. No. 07-3323 (Panel mounted) followed by -1, followed by 1, 2 or 4, may be followed by additional suffixes; Switch modules are provided with operator, Cat. No. 05-0003-00 followed by 07, 08, 09, 10, 11, 12, 18, 61, 70, 71, 72, 73, 74, 75, 77, 78, 79 or 80, may be followed by additional suffixes.

Cat. No. 07-3323 followed by -3, followed by 1, 2, 4, 7 or 8, followed by 0, may be followed by additional suffixes; Switch modules are provided with operator, Cat. No. 05-0003-00 followed by -07, 08, 09, 10, 11, 12, 18, 61, 70, 71, 72, 73, 74, 75, 77, 78, 79 or 80, may be followed by additional suffixes.

4-Pole control switch, Cat. No. 07-3331-1 may be followed by additional suffixes. Switch modules are provided with operator, Cat. No. 05-0003-00 followed by -20, -21, -62, -63 or -64, may be followed by additional suffixes.

Lamp modules, Cat. No. 07-3353 followed by -3, followed by 1, followed by 1, 2, 3, 4 or 5, may be followed by additional suffixes. Lamp modules are provided with operator, Cat. No. 05-0003-00 followed by 13, 14, 15, 16 or 17, may be followed by additional suffixes.

Cat. No. 07-335 followed by 1 or 3, followed by -1, followed by 1, followed by 1, 2, 3, 4 or 5, followed by 0, may be followed by additional suffixes. Lamp modules are provided with operator, Cat. No. 05-0003-00 followed by 13, 14, 15, 16 or 17, may be followed by additional suffixes.

Control stations (Control and indicating stations), Cat. Nos. 07-3511, 07-3512, 07-3513 followed by -0, -A, -B or -C, followed by 0, A, B, C or 8, may be followed by additional suffixes.

Illuminated push-button modules, Cat. No. 07-336 followed by 1 or 3, followed by -1, followed by 7 or 8, followed by 1, 2, 3, 4 or 5, followed by 0, may be followed by additional suffixes; Illuminated push-button modules are provided with operator, Cat. No. 05-0003-00 followed by 65, 66, 67, 68 or 69, may be followed by additional suffixes.

Cat. No. 07-3363-3 followed by 7 or 8, followed by 1, 2, 3, 4 or 5, may be followed by additional suffixes; Illuminated push-buttons modules are provided with operator, Cat. No. 05-0003-00 followed by 65, 66, 67, 68 or 69, may be followed by additional suffixes.

[Last Updated](#) on 2010-09-13

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2012 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2012 UL LLC".