



GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION (PESO)
(Formerly Department of Explosives)
CGO COMPLEX SEMINARY HILLS
NAGPUR 440006

SPEED POST

Letter No: A/P/HQ/MH/104/
2103(P250922)

Email
:explosives@explosives.gov.in

Phone/Fax
No.2510248/2510577

Dated : 28/5/2010

To
M/s. Bartec Varmost d.o.o.
Cesta 9 Avegusta 59
1410 Zagorje ob Savi
Slovenia
Slovenia

Sub :Approval of equipments under Petroleum Rules, 2002

Dear Sir(s),

Please refer to letter No Nil dated 04/02/2010 from M/s. Bartec India Private Limited, New Delhi on the above subject.

The following explosion proof equipment(s) manufactured by you according to EN 60079-0 : 2006 & EN 60079-7 : 2003 standards and covered under PTB / IBExU Test reports mentioned below are approved for use in Zone 2 Gas Group II hazardous areas coming under the purview of the Petroleum Rules, 2002 administered by this Organization.

| Sr.No | Description | Safety Protection | CCEs Identification Number | Test House | Test Report No. | Drawing Numbers |
|-------|--|---------------------|----------------------------|------------|------------------------------------|-----------------|
| 1 | Branch box type 07-5311 | Ex e II T6 | P250922/1 | PTB | PTB 08 ATEX 1061 Dt.18/9/2008 | |
| 2 | Polyster housings, types 07-5184-...../..... and 07-5185-...../..... | Ex e II | P250922/2 | PTB | PTB 08 ATEX 1062 U Dt.18/9/2008 | |
| 3 | Junction box types 07-5103-...../..... 07-5105-...../..... | Ex e ia/ib IIA, IIB | P250922/3 | PTB | PTB 08 ATEX 1064 Dt.18/9/2008 | |
| 4 | Junction box, types 07-5101-...../..... and 07-5102-...../..... | Ex e ia/ib IIA, IIB | P250922/4 | PTB | PTB 08 ATEX 1065 Dt.18/9/2008 | |
| 5 | Junction box, types 07-5109-****/**** and 075110-****/**** | Ex e ia/ib II IIC | P250922/5 | PTB | PTB 08 ATEX 1066 Dt.18/9/2008 | |
| 6 | Enclosures-and Distribution Cubicle amde of metal with flange Type 07-56-...../..... | Ex e II | P250922/6 | IBExU | IBExU99ATEX1096 Dt.23/7/2008 | |
| 7 | Aluminium housing, type 07-5180-...../..... | Ex e II | P250922/7 | PTB | PTB 08 ATEX 1063 U Dt.18/9/2008 | |

This Approval is granted subject to observance of the following conditions:-

- 1). The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the PTB / IBExU Test Reports referred to above
- 2). The equipment shall be used only with approved type of accessories and associated apparatus
- 3). The equipment shall be used only in conjunction with the approved explosion proof barriers
- 4). Each equipment shall be marked either by raised lettering cast integrally or by plate attached to the main structure to indicate conspicuously
 - (a) Name of the manufacturer
 - (b) Name and number by which the equipment is identified
 - (c) Number & Date of the test Report of the PTB / IBExU applicable to the equipment
 - (d) CCEs Identification Number of this letter by which use of the apparatus is approved
- 5). A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the PTB / IBExU test report and is identical with the one tested and certified at PTB / IBExU shall be furnished with each equipment
- 6). The customer shall be supplied the copy of this letter, an extract of the conditions and maintenance schedule, if any recommended by PTB / IBExU in their test reports and copy of instructions booklet detailing operation and maintenance of the equipment so as to maintain its explosion proof safety characteristics
- 7). The After sales service and maintenance of subject equipment shall be looked after by your representative M/s. Bartec India Private Limited,,C-37~ Connaught Place,,New Delhi

This Approval also covers the permissible variation as approved under the PTB / IBExU test report referred above .This approval may be deemed to have been revoked with immediate effect at any time, if any of the conditions subject to which approval has been granted is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users /your customers of the subject equipment may please be collected and furnished to this office for verification and record at regular intervals.

This approval is otherwise valid a period of five years from the date of issue.

Yours faithfully,



(R.A.GUJAR)
Controller of Explosives
for Chief Controller of Explosives
Nagpur

Copy to :

- 1.The Jt. Chief Controller of Explosives, West Circle, Mumbai; East Circle, KolKata; South Circle, Chennai; North Circle, Faridabad; Central Circle, Agra.
- 2.M/s. Bartec India Private Limited,,C-37~ Connaught Place,,New Delhi,Distt. DELHI(Delhi)

for Chief Controller of Explosives